

AMERICA MAX - Synthetic-Blend

SAE 15W40 API CK-4/SN HD Diesel Engine Oil Effective Date 6/14/2019

Issue Date: 07-Dec-2016 **Review Date:** 14-Jun-2019 **Version** 1

1. IDENTIFICATION

Product Identifier
Product Name

America Max - Synthetic Blend SAE 15W40 API CK-4/SN HD Diesel Engine Oil

IMZ15W40BLDHD

Other means of identification

SDS #

110000005

Recommended use of the chemical and restrictions on use

Recommended Use

Diesel engine oil.

Details of the supplier of the safety data sheet

Supplier Address

IMONZA

1130 International Parkway Fredericksburg, VA 22046

Emergency Telephone Number

Emergency Telephone (24 hr)

CHEMTREC 1-800-424-9300

2. HAZARDS IDENTIFICATION

Appearance Amber liquid

Physical State Liquid

Odor Petroleum

Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	65-70
Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based	72623-87-1	5-10
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	1-5
Zinc alkyl dithiophosphate	113706-15-3	1-5
Petroleum distillates, solvent-refining light paraffinic	64741-89-5	<1
Paraffin oils, petroleum, catalytic dewaxed heavy	64742-70-7	<1

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If irritation develops or

persists, seek medical attention.

Inhalation Remove to fresh air. Administer oxygen if breathing is difficult. If not breathing, give

artificial respiration. Call a poison control center or doctor for further treatment advice.

Review Date: 14-Jun-2019

Ingestion Clean mouth with water and drink afterwards plenty of water. If large quantities are

swallowed, get emergency medical help immediately.

Most important symptoms and effects

Symptoms Expected to be a minor eye irritant. Repeated or prolonged skin contact may cause

dermatitis.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use dry chemical, foam, carbon dioxide or water fog.

Unsuitable Extinguishing Media While carbon dioxide and inert will extinguish the fire, they can also displace oxygen. Use caution when applying carbon dioxide or inert gas in confined spaces.

Specific Hazards Arising from the Chemical

This material can burn but will not readily ignite. This material will release vapors when heated above the flashpoint temperature that can ignite when exposed to a source of ignition. In enclosed spaces, heated vapor can ignite with explosive force. Mists or sprays that burn at temperatures below the flashpoint. Dense smoke may be generated while burning. Carbon monoxide, carbon dioxide, and other oxides may be generated as products of combustion.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2). Aldehydes. Ketones. Combustion products of sulfur and nitrogen.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Avoid breathing smoke and vapor. Water may be used to cool containers exposed to heat or flame.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental precautions

IMZ15W40BLDHD - America Max Synthetic Blend SAE 15 W-40 CK-4/SN Diesel Engine Oil

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Use personal protection recommended in Section 8. Wash face,

Review Date: 14-Jun-2019

hands and any exposed skin thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store at ambient conditions. Store at atmospheric pressure. Keep containers tightly

closed. Store in a cool, well-ventilated place. Keep away from heat, sparks, and flame.

Empty containers retain product residues. Store away from incompatible materials.

Incompatible Materials This product may react with strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies

Appropriate engineering controls

spaces. If product is heated above 70 C (155 F) in the presence of water, hydrogen sulfide vapors may be released. Ventilation should be sufficient to keep hydrogen sulfide levels

below recommended exposure limits. Eye wash fountains are recommended.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear safety glasses. Wear chemical goggles or face shield if splash or mist occurs.

Skin and Body ProtectionUse impervious gloves for prolonged contact. Wear oil-impervious garments if contact is

unavoidable.

approved organic vapor respirator suitable for oil mist.

General Hygiene Considerations Use good hygiene when handling petroleum product. Launder contaminated clothing

before reuse. Excessive misting may cause slippery floors – wear appropriate footwear.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

AppearanceAmber liquidOdorPetroleum

CR-4/3N Diesei Engine Oil

Review Date: 14-Jun-2019

ASTM D-92

Color Amber Odor Threshold Not determined

Property Values Remarks • Method

pH Not applicable
Melting Point/Freezing Point
Boiling Point/Boiling Range
Flash Point
Not determined
Not determined
204 °C / 400 °F

Evaporation Rate Not determined Flammability (Solid, Gas) Not applicable

Flammability Limit in Air

Upper Flammability Limits
Lower Flammability Limit
Not determined
Not determined
Vapor Pressure
<1 mmHg

Vapor Density Relative Density Not determined Water Solubility Not negligible Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Avoid formation of mists. Keep away from extreme heat, sparks, open flame and incompatible materials.

Incompatible Materials

This product may react with strong oxidizing agents.

Hazardous Decomposition Products

Decomposition of this product may yield oxides of boron, calcium, magnesium, nitrogen, phosphorus, sulfur including hydrogen sulfide and zinc as well as carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact Avoid contact with skin.

Inhalation Do not inhale.

Review Date: 14-Jun-2019

Ingestion Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Lubricating oils, petroleum, C20- 50, hydrotreated neutral oil- based 72623-87-1	> 5000 mg/kg (Rat)	> 2000 mg/kg(Rabbit)	= 2.18 mg/L (Rat) 4 h
Petroleum distillates, solvent, dewaxed heavy paraffinic 64742-65-0	> 15000 mg/kg (Rat)	> 5000, mg/kg (Rabbit)	> 2400 mg/m³ (Rat) 4 h
Paraffin oils, petroleum, catalytic dewaxed heavy 64742-70-7	> 15000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Petroleum distillates, solvent- refined Light paraffinic 64741-89-5	> 15 g/kg (Rat)	> 5 g/kg (Rabbit)	= 2.18 mg/L (Rat) 4 h

Information on physical, chemical and toxicological effects

Symptoms

Please see Section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

This product does not contain any carcinogens as listed by OSHA, IARC or NTP.

Chemical Name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated heavy parrafinic 64742-54-7	A2	Group 1	Known	Х
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	A2	Group 1	Known	X
Paraffin oils, petroleum, catalytic dewaxed heavy 64742-70-7	A2	Group 1	Known	Х
Petroleum distillates, solvent-refined light paraffinic 64741-89-5	A2	Group 1	Known	Х

Legend

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of labor

X – Present

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

-

Review Date: 14-Jun-2019

Component Information

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7		5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based 72626-87-1		5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0		5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
Petroleum distillates, solvent-refined light paraffinic 64741-89-5		5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Zinc alkyl dithiophosphate	Toxic
113706-15-3	

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

Review Date: 14-Jun-2019

International Inventories

Chemical Name	TSCA	DSL / NDSL	EINECS / ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Petroleum distillates, hydrotreated heavy paraffinic	Х	Х	X	Х	Х	Х	Х	Х
Water	Χ	X	X		Х	X	X	X
Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based	Х	Х	Х		X	X	×	х
Petroleum distillates, solvent dewaxed heavy paraffinic	Х	Х	Х		Х	Х	Х	
Zinc alkyl dithiophosphate	Χ	X		Х	Х			X
Petroleum distillates, solvent-refined light paraffinic	Х	Х	Х		X	X	×	х
Paraffin oils, petroleum, catalytic dewaxed heavy	X	X	X		Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Zinc alkyl dithiophosphate - 113706-15-3	113706-15-3	1-5	1.0

CWA (Clean Water Act)

Chemical Name	CWA-Reportable Quantities	CWA - Toxic Pollutants	CWA – Priority Pollutants	CWA – Hazardous Substances
Zinc alkyl dithiophosphate		X		

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New	Massachusetts	Pennsylvania
	Jersey		
Zinc alkyl dithiophosphate	Х		X
113706-15-3			

IMZ15W40BLDHD - America Max Synthetic Blend SAE 15 W-40 CK-4/SN Diesel Engine Oil

Petroleum distillates, solvent-refined light paraffinic 64741-89-5	X	
Paraffin oils, petroleum, catalytic dewaxed heavy 64742-70-7	×	

Review Date: 14-Jun-2019

16. OTHER	INFORMATION
-----------	-------------

NFPAHealth HazardsFlammabilityInstabilitySpecial Hazards110Not determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection111Not determined

 Issue Date:
 07-Dec-2016

 Review Date:
 14-Jun-2019

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet